

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1150	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L2	11	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L3	496	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L4	274	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L5	155	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L6	2049	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L7	79	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L8	172	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L10	115	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L15	2	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L16	1	L15 predict	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L17	24	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L18	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L20	66	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L21	9	L17 L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L22	29	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L23	21	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L24	29	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L25	9	L7 L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L26	27	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L27	31	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L30	102	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/16 21:46
L31	8	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L32	8	L31 client	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L33	93	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L34	13	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L35	23	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L36	114	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L37	155	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L38	274	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L39	60	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L40	496	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L41	1150	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L42	2	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L43	23	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L44	15	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L45	8	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L46	8	L45 client	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L47	3700	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L48	15	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L49	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L50	11056	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L51	29	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L52	56	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L53	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L54	102	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/16 21:46
L55	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L56	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L57	31	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L58	27	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L59	172	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L60	79	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L61	9	L60 L38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L62	29	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L63	21	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L64	29	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L65	24	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L66	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L67	9	L65 L66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L68	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L69	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L70	66	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L71	11	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L72	1	L42 predict	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L73	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L74	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L75	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L76	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L77	115	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L78	2049	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L79	24	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L80	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L81	8	(US-20040148565-\$).did. or (US-6154767-\$ or US-6085226-\$ or US-6067565-\$ or US-5878223-\$ or US-6055569-\$ or US-6742033-\$ or US-5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L82	8	L81 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L83	7	L81 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L84	269	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L85	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L86	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L87	68	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L88	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L89	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L90	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L91	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L92	6	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L93	5	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L94	1230	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L95	450	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L96	25	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L97	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L98	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L99	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L100	110	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L101	58	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L102	0	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L103	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L104	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L105	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L106	78	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L107	17	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L108	12	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L109	2	"20020015042".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L110	1150	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L111	11	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L112	496	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L113	274	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L114	155	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L115	2049	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L116	79	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L117	172	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L118	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L119	115	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L120	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L121	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L122	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L123	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L124	2	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L125	1	L124 predict	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L126	24	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L127	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L128	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L129	66	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L130	9	L126 L127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L131	29	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L132	21	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L133	29	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L134	9	L116 L113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L135	27	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L136	31	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L137	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L138	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L139	102	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/16 21:46
L140	8	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L141	8	L140 client	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L142	93	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L143	13	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L144	23	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L145	114	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L146	155	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L147	274	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L148	60	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L149	496	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L150	1150	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L151	2	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L152	23	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L153	15	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L154	8	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L155	8	L154 client	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L156	3700	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L157	15	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L158	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L159	11056	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L160	29	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L161	56	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD< "20041014"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L162	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD< "20041014"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L163	102	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/16 21:46
L164	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L165	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L166	31	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L167	27	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L168	172	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46

L169	79	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L170	9	L169 L147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L171	29	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L172	21	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L173	29	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L174	24	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L175	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L176	9	L174 L175	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L177	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L178	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L179	66	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L180	11	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L181	1	L151 predict	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L182	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L183	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L184	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L185	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L186	115	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L187	2049	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L188	24	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L189	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L190	8	(US-20040148565-\$).did. or (US- 6154767-\$ or US-6085226-\$ or US- 6067565-\$ or US-5878223-\$ or US- 6055569-\$ or US-6742033-\$ or US- 5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L191	8	L190 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L192	7	L190 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L193	269	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L194	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L195	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L196	68	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L197	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46

L198	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 21:46
L199	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L200	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L201	6	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L202	5	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L203	1230	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L204	450	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L205	25	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L206	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L207	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L208	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L209	110	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L210	58	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L211	0	@ad<"20030930" (predictiv\$3 with render\$3) with nterface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L212	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L213	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L214	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L215	78	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L216	17	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L217	12	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2010/01/16 21:46
L218	5185	probability predicted interaction event previous @ad<"20030930"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/16 22:05
L219	2418	probability predicted interaction event previous @ad<"20030930"	US-PGPUB	AND	ON	2010/01/16 22:05
L220	888	probability predicted interaction event previous @ad<"20030930" interface	US-PGPUB	AND	ON	2010/01/16 22:05

L221	158	probability predict\$3 interaction with event previous @ad<"20030930" interface	US-PGPUB	AND	ON	2010/01/16 22:06
L222	21	probability predict\$3 interaction with event previous @ad<"20030930" GUI	US-PGPUB	AND	ON	2010/01/16 22:06
L223	39	probability predict\$3 with event previous @ad<"20030930" GUI	US-PGPUB	AND	ON	2010/01/16 22:07
L224	1	probability predict\$3 with previous render @ad<"20030930" GUI	US-PGPUB	AND	ON	2010/01/16 22:07
L225	3	proba\$5 predict\$3 with previous render @ad<"20030930" GUI	US-PGPUB	AND	ON	2010/01/16 22:08
L226	22	proba\$5 predict\$3 previous with user render @ad<"20030930" GUI	US-PGPUB	AND	ON	2010/01/16 22:08
L227	18	predict\$3 previous with interaction render @ad<"20030930" GUI	US-PGPUB	AND	ON	2010/01/16 22:10
S1	851	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S2	7	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S3	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S4	171	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S5	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S6	1348	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S7	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S8	123	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S10	83	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S15	4	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S16	1	S15 predict	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S17	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S18	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S20	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S21	7	S17 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S22	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S23	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S24	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S25	8	S7 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S26	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S27	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S30	82	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 10:55
S31	10	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S32	10	S31 client	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S34	72	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 11:12
S35	8	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 12:26
S36	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 14:03

S45	105	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/15 15:23
S47	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S48	172	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S49	44	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S50	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S51	853	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S52	4	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S53	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S54	8	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S55	10	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S56	10	S55 client	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S57	2355	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S59	8	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S60	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S61	7470	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S62	25	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S63	53	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S64	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S66	82	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/17 02:09
S67	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S68	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S69	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S70	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S71	124	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S72	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S73	8	S72 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S74	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

S75	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S76	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S77	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S78	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S79	7	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S80	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S81	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S82	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S83	7	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S84	1	S52 predict	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S85	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S86	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S87	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S88	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S89	84	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S91	1351	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S92	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S93	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S94	9	(US-20040148565-\$).did. or (US- 6154767-\$ or US-6085226-\$ or US- 6067565-\$ or US-5878223-\$ or US- 6055569-\$ or US-6742033-\$ or US- 5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S95	9	S94 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S96	8	S94 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2008/01/17 11:12
S97	255	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2008/01/17 11:13
S98	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:14
S99	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S100	60	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S101	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 16:35
S102	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 12:09
S103	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S104	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S105	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S106	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S107	1164	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S108	414	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50

S109	23	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2008/09/10 15:51
S110	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:58
S111	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S112	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S113	106	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S114	54	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S115	0	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S116	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S117	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S118	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S119	76	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:02
S120	16	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:03
S121	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:04
S122	2	"20020015042".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 09:58
S123	1053	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S124	9	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S125	445	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S126	224	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

S127	137	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S128	1722	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S129	71	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S130	156	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S131	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S132	105	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S133	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S134	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S135	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S136	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S137	3	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S138	1	S137 predict	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S139	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S140	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S141	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S142	58	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

S143	9	S139 S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S144	27	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S145	20	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S146	25	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S147	8	S129 S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S148	24	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S149	28	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S150	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S151	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S152	90	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/04/27 10:13
S153	9	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S154	9	S153 client	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

S155	85	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S156	10	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S157	20	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S158	111	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S159	137	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S160	224	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S161	53	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S162	445	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S163	1053	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S164	3	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S165	20	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S166	13	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

S167	9	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S168	9	S167 client	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S169	3193	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S170	13	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S171	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S172	9747	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S173	26	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S174	55	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S175	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S176	90	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/04/27 10:13
S177	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S178	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S179	28	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S180	24	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S181	156	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

S182	71	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S183	8	S182 S160	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S184	25	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S185	20	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S186	27	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S187	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S188	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S189	9	S187 S188	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S190	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S191	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S192	58	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

S193	9	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S194	1	S164 predict	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S195	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S196	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S197	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S198	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S199	105	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S200	1722	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S201	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S202	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S203	9	(US-20040148565-\$).did. or (US- 6154767-\$ or US-6085226-\$ or US- 6067565-\$ or US-5878223-\$ or US- 6055569-\$ or US-6742033-\$ or US- 5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S204	9	S203 @ad< "20030930"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S205	8	S203 @ad< "20030930" interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S206	267	@ad< "20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S207	1	@ad< "20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S208	13	@ad< "20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S209	67	@ad< "20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S210	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

S211	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
S212	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S213	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S214	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S215	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S216	1194	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S217	438	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S218	25	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S219	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S220	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S221	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S222	108	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S223	56	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S224	0	@ad<"20030930" (predictiv\$3 with render\$3) with nterface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S225	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S226	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S227	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S228	78	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S229	17	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S230	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

1/ 16/ 2010 10:58:56 PM

C:\Documents and Settings\stermanini\My Documents\EAST\Workspaces\10 Series\10_676_846_4.wsp